STATEMENT OF WORK (SOW) for the REBUILD of the ASSAULT AMPHIBIOUS VEHICLE (AAV)

RIGHT SUPPORT ASSEMBLY

NSN 2530-00-438-5150

STATEMENT OF WORK FOR THE REBUILD OF THE ASSAULT AMPHIBIOUS VEHICLE (AAV) RIGHT SUPPORT ASSEMBLY NSN 2530-00-438-5150

Table of Content

<u>Paragraph</u>	<u>Title</u>	Page
1.0	SCOPE	1
1.1	Background	1
2.0	APPLICABLE DOCUMENTS	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	REQUIREMENTS	2
3.1	General Tasks	2
3.2	Detailed Tasks	3
3.2.1	Phase I-Rebuild	3
3.2.2	Phase II-Inspection, Testing, and Acceptance	3
3.2.3	Phase III- Packaging, Handling, Storage, and	3
	Transportation (PHS&T)	
3.3	Configuration Management	4
3.4	Government Furnished Equipment (GFE)/Government	: 4
	Furnished Materiel (GFM)	
3.5	Contractor Furnished Materiel (CFM)	4
3.6	Quality Assurance Provisions	4
4.0	REPORTS	5
4.1	Monthly Production Status Report	5
	_	

STATEMENT OF WORK FOR THE REBUILD OF THE ASSAULT AMPHIBIOUS VEHICLE (AAV) RIGHT SUPPORT ASSEMBLY NSN 2530-00-438-5150

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW), along with TM 09674A-25&P/4B establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor in the rebuild of the Assault Amphibious Vehicle (AAV) Right Support Assembly, National Stock Number (NSN) 2530-00-438-5150, hereafter referred to as the Right Support Assembly. This document contains minimum requirements to restore the Right Support Assembly, NSN 2530-00-438-5150 to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitations or restrictions."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications, and subsequent reassembly of the item."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-2073-1D DoD Standard Practice for Military

Packaging

MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4160.21-M Defense Materiel Disposition Manual

TM 2350-45 DMA Standard Procedures

TM 09674A-25&P/4B Maintenance Instruction and Repair Parts

List Organizational Intermediate and Depot Assault Amphibious Vehicle Model 7A1,

rissauri rampinolous veinele iviodel /

Family Of Vehicles and RAM/RS

Engineering Drawing 2584800-1

CAGE 80064

Right Support Assembly

DoD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Quality Management Systems-Requirements

Q9001-2000

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for

Configuration Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the Internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P. O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Command, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 566-1A, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

- 3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:
- a. Provide materials, labor, facilities, and services necessary to troubleshoot, test, diagnose, engineer, integrate, install, rebuild, and calibrate as required to make the Right Support Assembly fully operational. Upon completion of the rebuild, the Right Support Assembly shall be Condition Code "A".
- b. Conduct final-on-site testing, which may be witnessed by Marine Corps Systems Command (MCSC) (Code PMM143), Albany, Georgia representative.

- c. The contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the Right Support Assembly as specified in TM 09674A-25&P/4B and TM 2350-45.
- d. Ensure all Right Support Assemblies meet the configuration of Engineering Drawing 2584800-1 CAGE 80064.
- e. All mandatory replacement parts identified in TM 09674A-25&P/4B shall be replaced 100%. Economical replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. All parts shall be disposed of in accordance with DoD 4160.21-M.
- 3.2 <u>Detailed Tasks.</u> The following tasks describe the different phases for the rebuild of the Right Support Assembly.
- 3.2.1 Phase I Rebuild. The contractor shall receive the Right Support Assembly for rebuild. The contractor shall then disassemble the Right Support Assembly into components and conduct the rebuild process. The contractor shall rebuild components in accordance with TM 09674A-25&P/4B and this SOW. The contractor shall be responsible for supplying all equipment, tools, test equipment, and materials to conduct this effort. The contractor shall be responsible for the integration and assembly of all components. The configuration identification for Right Support Assembly is defined by the specifications annotated on the current revision level of Engineering Drawing 2584800-1 CAGE 80064.
- 3.2.2 <u>Phase II Inspection, Testing, and Acceptance</u>. Inspection, testing, and acceptance of the Right Support Assembly shall be conducted in accordance with TM 09674A-25&P/4B and ANSI/ISO/ASQC Q9001-2000. The contractor shall correct any deficiencies discovered.

3.2.3 Phase III - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The contractor shall be responsible for preservation and packaging for items being rebuilt under the terms of this Statement of Work. Items scheduled for long-term storage or shipped to overseas destinations shall be in accordance with Level "A" requirements of MIL-STD-2073-1D, Method 30. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with Level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for the delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps shall be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

3.3 Configuration Control

- a. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If deemed necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- b. The creation and submission of RFDs shall be accomplished using MEARS CREATE software, which resides at a secure web site, https://mears1.redstone.army.mil. For the purpose of gaining access to the web site, the contractor shall request user-id and password privileges from the Requiring Office identified in Block 6 of the applicable Contract Data Requirements List. The contractor shall direct technical or functional questions concerning usage of MEARS CREATE software to the Requiring Office for guidance. The contractor shall notify the Requiring Office by electronic mail when completed MEARS RFDs are ready for formal submission.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 581-1B) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and property responsibility for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD 1348 to Materiel and Distribution Management Department, Distribution Management Branch, Management Control Activity (Code 581-1B), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 Contractor Furnished Materiel (CFM). The Contractor may requisition materiels as required in the performance of this SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to the contractors on the requisitioning process. The decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

3.6. Quality Assurance Provisions

3.6.1 The performance of the contractor's quality of work performed, material provided and documents written shall be subject to in-process review and inspection by the MCSC (Code PMM143), Albany, Georgia representative during contract performance. Inspection may be accomplished at any work location. The MCSC (Code PMM143), Albany, Georgia representative requires, at a minimum, two weeks notice of acceptance

test to allow for sufficient time for MCSC (Code PMM143), Albany, Georgia representative to witness the test. Inspection by the MCSC (Code PMM143), Albany, Georgia representative of acceptance tests, materials and associated lists furnished hereunder does not relieve the contractor from any responsibility regarding defects or other failures to meet the SOW requirements which may be disclosed prior to final acceptance.

- 3.6.2 The contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9001-2000. The contractor's work shall be subject to in-process reviews and inspections for compliance with these procedures and standards by MCSC (Code PMM143), Albany, Georgia representative. Noncompliance with these quality assurance procedures resulting in degraded quality of work may result in a stop-work order requiring action by the contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination. Notwithstanding such inspection, it shall be the contractor's responsibility to ensure that the entire system meets the performance requirements of this SOW.
- 4.0 <u>Reports.</u> All reports deliverables shall be submitted in hard copy to Marine Corps System Command, Attn: (Code PMM143), 814 Radford Blvd., Suite 20343, Albany, Georgia 31704-0343, unless directed otherwise in a Contract Data Requirements List.
- 4.1 <u>Monthly Production Status Report</u>. A monthly Production Status Report shall be submitted summarizing the progress and status of the Right Support Assembly.

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)

B. EXHIBIT

A. CONTRACT LINE ITEM NO.

Form Approved

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and naintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.

B. EXHIBIT.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:											
D. SYSTEM/IT	EM ight Support Asse	mbly	E. CONTRACT/PR	No.	F. CONTI	_ TM RACTOR	Other X	XX			
1. DATA ITEM No. A001	2. TITLE OF DATA ITEM		1 Status Report	Monthly Production Status Report							
4. AUTHORITY (Da	IORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING OFFICE										
D	I-MGMT-81255		Par	agraph 4.1.		M	CSC (AAV	6)			
7. DD 250 REQ.	9. DIST STATEMENT 10. FREQUENCY 12. DATE OF FIRST SUBMIS										
LT 8. APP CODE	REQUIRED	11. AS OF DA	MTHLY	See Blk 13. DATE OF SUBSE	16 OUENT			b. COPIES			
	A	II. AS OF DA	are.	SUBMISSION See Blk		a. ADDRESSEE	Draft Reg		NAL Repro		
16. REMARKS				*		MCSC AAVS	0	1	0		
paragraphs do 10.2.9.	actor format is aut to not apply to this as 10.2.4 and 10.2.1	deliverab	le: 10.1, 10.2.3,	10.2.5, 10.2.6	and						
Work Schedu	ile Line Item) Nur	mber.									
Blocks 10, 12 nonth. The fi	2 and 13 – The repirst submission sh	oort shall ball be	be submitted on the days after the cor	the tenth of each	h						
The Production	on Status Report s manRE@mcsc.us	shall be tra	insmitted via E-M	Mail to the follo	owing						
Distribution S	Statement A: Appr	roved for	public release, di	istribution is ur	ılimited.						

					-						
					ļ	15. TOTAL	0	1	0		
). PREPARED	SHA	nan	08/14/03	I. APPROVED B	SA	Aman	J. DATE	104/	03		
DD FORM 142	3-1, AUC/96/FE)		PREVIOUS ED	ITION MAY BE USE	7	Designed	using Perform	ge Lof_ Pro, WHS/D			

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours par response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington and Personal Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Available Subject to any penalty for failing to complex with a Collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	TEM NO.	B. EXHIBIT		C. CATEGORY: TOP TM OTHER						
D. SYSTEM/ITEM AAV Right Support Assem		E. CONTRACT/PR NO.			F. CONTRACTOR					i I
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		L		3. SUBTITLE					17. PRICE GROUP
в001	L	quest For Deviation (RFD) Configurati					Ianagement			
4. AUTHORITY (Data Acquisition Document No.)			5. CONTRACT REFERENCE			6. REQUIRING OFFICE				18. ESTIMATED TOTAL PRICE
7. DD 250 REQ	DI-CMAN-80640C 7. DD 250 REQ 9. DISY STATEMENT 10, FREQUENCY			SOW Para 3.3			MCLCA (583-1)			
NO	REQUIRED	Allipen		ASREQ ASREQ		14. DISTRIBUTION	b. COPIES			
8. APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT		a. ADDRESSEE		Fi		
N/A	A			SUBMISSION			Draft	Reg	Repro	
BLK 4 - MEA	RS RFD text files formatted softwa	shall be	created using	MICROSOFT (loc) or	MCLCA (583-1) MCSCA (AFSS)	0	0	0	
	- RFDs shall be s material or proce									
	submission notifi									
	accompanying fig vare or CCITT G	ures shal roup 4 gr	l be created us aphic file with	ing a MICROSOl a minimum dens	FT ity of					
	t for MEARS CR 25 or smithdc@									
Distribution Sta	atement A: Appro	ved for p	ublic release,	distribution is unl	imited	15. TOTAL				
G. PREPARED BY			H. DATE	I. APPROVED B	Y	I O	J. DAT	<u> </u>	0	
Du (Der Son 8-1-03 1/6 /6					Fhra 18/14/12				
DD FORM 1423	1, AUG 96 (EG)						Page of Pages			